

Nov 7th, 9:00 AM - 5:00 PM

Understanding Residential Electricity Consumption Considering Energy Efficiency Policies and The Impact On the Electricity System

Meryem Nur Morgül Tumbaz
Sakarya University, meryemtumbaz@sakarya.edu.tr

Hatice Tekiner Muğlkoç
Istanbul Şehir University, haticetekiner@sehir.edu.tr

Follow this and additional works at: <https://knowledgecenter.ubt-uni.net/conference>



Part of the [Engineering Commons](#)

Recommended Citation

Tumbaz, Meryem Nur Morgül and Muğlkoç, Hatice Tekiner, "Understanding Residential Electricity Consumption Considering Energy Efficiency Policies and The Impact On the Electricity System" (2015). *UBT International Conference*. 49.
<https://knowledgecenter.ubt-uni.net/conference/2015/all-events/49>

This Event is brought to you for free and open access by the Publication and Journals at UBT Knowledge Center. It has been accepted for inclusion in UBT International Conference by an authorized administrator of UBT Knowledge Center. For more information, please contact knowledge.center@ubt-uni.net.

Understanding Residential Electricity Consumption Considering Energy Efficiency Policies and The Impact On the Electricity System

Meryem Nur Morgül Tumbaz¹, Hatice Tekiner Muğlkoç²

Department of Industrial Engineering, Turkey

¹Sakarya University,

²Istanbul Şehir University

meryemtumbaz@sakarya.edu.tr¹, haticetekiner@sehir.edu.tr

Abstract. Electricity consumption increases substantially over the years where residential use significantly contributes to the overall consumption. The growth in the population and variety of home appliances together with increasing comfort levels of the people results in higher levels of residential electricity use. In fact, nearly one fourth of Turkey's total electricity consumption is due to the domestic use. To achieve global sustainability targets and reduce the overall electricity use, focusing on the domestic consumption is crucial. In this research, the energy consumption patterns of households are determined to identify the potential electricity savings existing in the residential sector. Moreover, specific policy recommendations which can promote the behavioral change are driven by measuring the responsiveness of people to different measures and the combinations of these measures such as information, feedback, rewards, and social influences.

A survey was conducted to determine the patterns and the responsiveness of the residential customers. The results obtained from the survey are used to depict a general view of Turkish households towards electricity consumption behaviors and their energy efficiency attitudes. Responses indicate there should be more regulations and improvements in energy policy. An electricity allocation problem is solved in order to see possible impacts of behavioral change measures on the network. Scenarios are defined for each policy and allocation problem is solved to see the possible generation cost reduction. Also, gas emissions for each scenario is recorded to understand the possible effects of policies on the environment. Results show that behavioral change studies seem to be well worth to study. In order to reach residential efficiency, possible policy alternatives are suggested for Turkish households.

Keywords: Energy efficiency, residential electricity consumption, consumer behaviors, behavioral change, policy implementation, impacts on the electricity network

1. Introduction

Residential electricity consumption accounts for 23% of total electricity consumption in Turkey [1]. Moreover, the number of residential electricity users is more than 80% of total electricity consumers and residential consumers contribute to the largest peak demand [2]. In addition to Turkey's increasing residential energy demand, the share of standby consumption is also worth considering, 3% of total electricity goes for unused consumption [3]. The use rate of electrical appliances is high, especially the rate of electric teapots and electric heaters are as much as essential products, such as a fridge and washing machine [4]. Studies towards understanding the customers have three elements: one for the consumers and one for electricity providers, and one for countries. Consumers do not know the amount of energy they consume when they use. Some users may think that they use energy efficiently and they do not consume much energy. However, in general, there is a difference between consumer intention and actual behaviors. This gap may be a tool for behavioral change. Once they are convinced of their consumption as inefficient and not compatible with their intention, it is easy for them to adopt efficient use manners. Using energy efficiently will reduce the consumption and decrease the electricity bill of households. More importantly, in the long term, society will certainly gain from this. Secondly, meeting demand is a

primary target of electricity providers. Companies that have more accurate customer profiles in their hands will estimate true demand. When consumer free choice becomes common, providers will compete to attract or keep their customers. In such a rivalry, companies who know their consumers, understand their concerns, and even guide them regarding their electricity consumption will succeed. Last but not least, countries will also gain from understanding consumers. In order to reach a sustainable environment, reducing energy consumption and gas emissions are crucial. For countries whom energy demand is dependent on imports, managing energy demand is much more essential. Moreover, making appropriate policies for consumer groups will avoid wasting time and budget for the country. These are all possible through a better understanding of consumers, and it requires a precise study on the subject.

2. Household Survey

In order to meet the need for research into current practices of households and their intention towards different policies about energy efficiency, surveying has been chosen. The questions were designed to allow easier understanding of how residential users respond to the issues such as pricing, willingness to change their behavior, the kind of additional information they thought it would be effective to reduce their consumption, and the types of energy policies they would be willing to engage with. Questionnaire comprised of 50 questions, which took a maximum of fifteen minutes to complete. The survey was accessible to the public through the website in Turkish between July 2013 to August 2014. The questions were targeted at end users and reached 670 people. However, the number of complete responses was 526.

2.1 General findings of the survey

The results of the survey are presented in this section. Results regarding the peak demand behavior, willingness to shift this time use to less peak hours, and standby consumption are summarized. The motivation level of consumers for behavioral change and households' response to policies are given.

Energy labeling: In a survey completed by 526 people, 68% of consumers said they are aware of energy labeling. According to the results, nearly all of these consumers know the energy class of appliances in their house and they take into account the energy class when purchasing a new product. Although they are familiar with energy class, consumers do not favor of buying energy efficient products due to their expensiveness. Furthermore, knowing energy class and having more efficient products in their houses do not mean consuming energy efficiently. There are no differences on the percentage of efficient consumption behaviors among consumers who consider energy labels when buying a new product and who do not. Efficient consumption behaviors are defined as turning off unnecessary lights, running the machines at full capacity, preferring to boil water on a gas furnace, and so on.

Peak hour usage: Electrical teapot or coffee machine emerged as the appliance which had the highest number of respondents indicating they always use it between 5 to 10 o'clock in the evening, followed by dishwasher. Despite their attitudes towards shifting washing machine and dishwasher use participants are not in favor of changing the use of kettle/tea or coffee machines. This can be explained by the traditional habit of Turkish households.

Standby consumption: Consumers defined themselves as conscious about standby consumption. However, Turkey's standby consumption is high and keeps increasing [3]. Forgetting to unplug is most common answer to the question of why to leave computers, TVs, or other appliances standby.

Kettle use: Although consumers defined themselves as conscious regarding some behaviors or attitudes towards energy efficiency, their kettle use is on the opposite of this scheme. Even consumers have more efficient consumption habits in their home are not conscious of the impact of using an electric teapot, or kettles. End-users can be thought as more resistant to change their kettle use habits.

Smart meters: 70 % of participants stated they were aware of smart meters, but only half of them used at homes. When consumers are examined about their electricity use during peak hours and possession of smart meters, the results are confusing. The percentage of using appliances from 5

to 10 o'clock is nearly the same among users who have smart meters and who do not. This means consumers are not well informed about the practice and purpose of smart meters. More informative measures should be the primary target.

Familiarity of efficiency projects: Participants were asked about the efficiency projects conducted by Ministry of Energy and Natural Resources, and 79% of them said that they have never heard of these projects. Projects have been announced on TV as public service ads for a long time. However, familiarity with them was very low and limited. Timing could be altered or format should be redesigned.

Motivators for behavioral change: Participants were also asked what motivator would be most effective to change their behavior regarding electricity consumption during peak periods and to avoid standby consumption. Monetary drivers such as "more expensive electricity at that time", "knowing the contribution of standby to the household budget" seem to be more effective.

Measures: Five measures successful in changing behavior were chosen to appear on a list in the survey. First of all, 23% of participants chose informative measures as more effective for behavioral change. People are interested in learning methods of efficient use of electricity mostly via TV and the Internet. Public service ads and then documentaries are the kinds of formats they would like to see on TV. One fourth of participants have chosen feedback as their preferred behavioral change measure. Consumers are open to a new format of billing. They are willing to see more informative data on their bill including the environmental impact of their consumption, the comparison with last month's consumption and so on. Providing access to their consumption at any time also impacts consumption and should be an alternative to keep consumers more often informed of their energy consumption. At a rate of 37.1%, reward is the most common method to incentivize for behavioral change. Unsurprisingly, people have opted for monetary rewards in return for using energy efficiently. In addition to a reward, disincentives had also been listed in the survey and disincentives were chosen by 9.1% of households. It would not be wrong to consider disincentives as the opposite of rewards. For this reason, monetary disincentives could be a tool to attain energy efficient behaviors. According to Prospect Theory people will react to a loss rather than a gain. Therefore, we would expect to see disincentives at a higher rate among participants [5]. However, it is not also surprising for households to opt for rewards. The Rational Choice Theory says people are always in favor of gaining benefits [6], [7], [8]. Last, only 5% of respondents choose social activities as a behavioral change measure. People think activities taking place at schools would be more enjoyable and more informative. Probably households with children are willing to participate in such activities for the purpose of being a good model for their children and leaving them a better society.

Policy alternatives: Nowadays Turkish audience is familiar with some colorful messages on TV played after 21:00 o'clock reminding kids of going to bed. In the survey, people were asked whether they found similar quick messages on TV effective or not for changing their behavior. These messages have been thought of as "don't leave your TV standby", "Please turn off unnecessary lights". 74.3% of participants found these kinds of messages helpful to get sustainable behaviors into their homes. People were also asked whether they thought stickers or magnets on the appliances reminding them of using energy efficiently could be helpful. Giving advice such as "run me after 22:00", "run me at full capacity", "choose eco program" etc. were found effective with 62.6%. It is also seen in the survey 74.1% of households would reduce or shift their electricity consumption when they were warned about high demand periods. This shows consumers are willing to change their behavior to reduce demand.

3. Application on Turkish Electricity Network

The mathematical formulation of the model is presented. This model is a very simple model disregarding transmission lines, energy losses, and location of the generation. The target here is to represent the effects of behavioral change studies on electricity demand and the environment.

Sets:

I : Available electricity generation sources.

G: Total number of days chosen.

N : Total number of hours in each day.

H_{dn} : set of hours where demand is high and the policy applied might switch the demand from these hours.

L_{dn} : set of hours where demand is low and the policy applied might switch the demand to these hours.

O_{dn} : set of hours where switching scenarios have no impacts

D : set of dispatchable units which can provide a continuous output on demand, i.e. fossil fuels, nuclear plants.

$N D$: set of non-dispatchable units such as solar and wind turbines. These units are periodic and uncontrollable.

Decision variables:

x_{idn} : the amount of electricity generation from unit i on day d and hour n .

Parameters:

c_i : generation cost of unit i (\$/MWh).

K_i : installed capacity of unit i (MW).

f_i : capacity factor of unit i .

w_{dn} : adjustment factor of day d and hour n . This means the number of days represented by each selected day and hour. For example, if the problem is solved with a single day chosen, the adjustment factor of this day will be 365.

D_{dn} : electricity demand on day d and hour n (MWh).

e_{dn} : possible demand reduction due to efficient use of electricity on day d and hour n . It is calculated by multiplying the demand and the efficiency rate EF_{dn} . EF_{dn} is defined as efficiency rate of a scenario that leads to decrease in demand.

$$e_{dn} = D_{dn} \cdot EF_{dn} \quad \forall d, n \quad (1)$$

s_{dn} : reduction in demand due to the shifted amount of electricity on day d , hour n . It is calculated by multiplying the demand and SF_{dn} , which is the ratio of electricity switched from time high hours of day d .

$$s_{dn} = D_{dn} \cdot SF_{dn} \quad \forall d, n \in H_{dn} \quad (2)$$

t_{dn} : increase in demand due to the shifted amount of electricity on day d , hour n . It is calculated by multiplying the sum of switching ratio from times H_{dn} and ST_{dn} , which is the ratio of electricity switched to time low hours of day d .

$$t_{dn} = \left(\sum_n SF_{dn} \right) ST_{dn} \quad \forall d, n \in L_{dn} \quad (3)$$

The problem is solved given a single-objective function problem. The objective function and the model are as follows.

$$\min z = \sum_i^I \sum_d^G \sum_n^N x_{idn} \cdot c_i \cdot w_{dn}$$

s.t.

$$\sum_i^I x_{idn} \geq D_{dn} - e_{dn} \quad \forall d, n \in O_{dn} \quad (4)$$

$$\sum_i^I x_{idn} \geq D_{dn} - e_{dn} - s_{dn} \quad \forall d, n \in S_{dn} \quad (5)$$

$$\sum_i^I x_{idn} \geq D_{dn} - e_{dn} + t_{dn} \quad \forall d, n \in T_{dn} \quad (6)$$

$$\sum_i^I x_{idn} \leq K_i \cdot f_i \quad \forall i, d, n \in D \quad (7)$$

$$\sum_i^I x_{idn} = K_i \cdot f_i \quad \forall i, d, n \in ND \quad (8)$$

$$x_{idn} \geq 0 \quad (9)$$

Equations 4 to 6 pertain to demand constraints. These constraints reflect the changes with respect to the impact of policies on the electricity use. If the policy includes efficient use of electricity, which will lead to a reduction in demand, demand is reduced by e_{dn} (Equation 4). If the policy includes shifting for some hours, then demand in the corresponding hours will be decreased as in Equation 5.

This shift will increase the demand in the hours where policy is organized to shift the demand to as in Equation 6.

Equation 7 and 8 are related to capacity constraints. If the demand is met by dispatchable units, the amount of electricity produced will be less than or equal to the capacity (Equation 7). However, if the electricity comes from nondispatchable units such as wind or solar energy, generated amount of electricity will be equal to the multiplication of the capacity of the nondispatchable unit (K_i) and its capacity factor f_i . The one-year consumption of Turkey has been investigated in detail and the most representative and appropriate days to the total consumption data are selected for the model. Since peak hours occur at different periods of the day, examined days are divided into three: weekday, Saturday, and Sunday. 6 hours for high demand (H_{dn}) and 6 hours for low demand (L_{dn}) occurs has been noted for the model. The rest 12 hours in each day are listed in the set of O_{dn} . The access of daily demand data is restricted, and it is available only from June 2013 to today. In accordance with the consumption data and peak hour period, most appropriate months of the year has been chosen to represent the first five months of 2013. In total, there are 21 days in the mathematical model. Table 1 shows selected dates with maximum demand and the number of days (w_{dn}) they represent.

Table 1. Adjustment factor and demand data of the examined days in the model

Month	Weekday	w_{dn}	Demand(MWh)	Saturday	w_{dn}	Demand(MWh)	Sunday	w_{dn}	Demand(MWh)
June	27.06	20	753181	29.06	9	716231	30.06	5	634760
July	11.07	23	768880	13.07	4	738304	14.07	4	667179
August	29.08	22	772150	03.08	5	729777	04.08	4	673163
September	03.09	21	738240	14.09	4	692108	01.09	5	627527
October	08.10	109	686383	05.10	21	659473	27.10	21	608318
November	29.11	21	715829	30.11	5	689871	17.11	4	603641
December	19.12	45	762976	21.12	4	727342	22.12	9	661298

Table 2. Generation units by source and their related characteristics

Units (i)	Capacity (K_i)	Factor (f)	Unit Cost (c_i)	CO ₂	SO ₂	NO _x
(source)	(MW)		(\$/MWh)	(lbs/MWh)	(lbs/MWh)	(lbs/MWh)
Liquid Fuels	694	0.77	223.6	543.04	2.55	0.88
Hard coal/lignite	8515	0.85	115.9	734.51	5.51	1.47
Imported coal	3912	0.85	95.6	779.53	5.85	1.56
Natural gas	20255	0.85	128.4	398.97	0.51	0.25
Waste energy	224	0.85	102.6	726.33	0	0.47
Geothermal	311	0.75	47.9	154.4	0	0
Hydraulic	22289	0.50	84.5	0	0	0
Wind	2760	0.30	80.3	0	0	0

The network has 8 types of generation units. These units are listed in Table 2 with the corresponding capacity [9], factor [10], and unit cost data [11]. Emission rates are adopted from several resources [12], [13], [14], [15]. Levelized cost of electricity includes capital cost of the plant, fuel cost, operational and maintenance cost. These types of costs are thought as a better option to avoid some drawbacks of our mathematical model. In our model, electricity generation units are accepted as wholly available for each region. However, in reality, some units are installed only in certain regions, such as wind turbines and hydraulic plants. If the fuel prices were considered only, there would not be any cost for these two units.

The created scenarios are applied to the model and results are obtained. The model also considers the case of having no policy applied in order to see change in the cost, the demand, and the emissions. A sample of created scenarios are listed below.

1. Efficient use messages on TV leads to 10% reduction in residential demand with 74.3% willingness of households
2. Magnets or stickers reminding of efficient use of electricity leads to 10% reduction in residential demand with 62.6% willingness of households
3. Replacing 4 million old fridges with efficient ones
4. During school term (from October to May), organizing social events at school and reducing electricity consumption in residential areas
5. Replacing kettles with 35% more efficient ones
6. Shifting all of dishwasher use between 17:00 and 22:00 to late hours
7. Shifting all of the iron use between 17:00 and 22:00 to the early hours in the morning

Solutions for the mathematical model is given in Table 3. When there is no policy adopted the cost becomes \$26.5 billion and the demand equals to 2.58×10^8 MWh. 41% of electricity is generated from non-fossil fuels in this case. Although it is very little, all of the created scenarios lead to a decrease in demand and cost, and result in higher rate of renewable energy use. This should emphasize the importance of encouraging using behavioral change policies in a large scale to meet sustainability targets. Figure 1 shows the reduction rate of scenarios both in the cost and the demand.

Table 3. Cost, non-fossil source use, and emission rates for each scenario

Cases	Cost (billions of \$)	non-fossil use %	CO ₂ (lbs)	SO ₂ (lbs)	NO _x (lbs)
0	26.516	41.47	9.335.10 ¹⁰	5.36.10 ⁸	1.53.10 ⁸
1	25.903	42.26	9.139.10 ¹⁰	5.34.10 ⁸	1.52.10 ⁸
2	26.000	42.13	9.170.10 ¹⁰	5.34.10 ⁸	1.52.10 ⁸
3	26.256	41.80	9.252.10 ¹⁰	5.35.10 ⁸	1.53.10 ⁸
4	25.989	42.15	9.163.10 ¹⁰	5.34.10 ⁸	1.52.10 ⁸
5	26.503	41.49	9.331.10 ¹⁰	5.36.10 ⁸	1.53.10 ⁸
6	26.514	41.47	9.342.10 ¹⁰	5.37.10 ⁸	1.54.10 ⁸
7	26.437	41.57	9.312.10 ¹⁰	5.36.10 ⁸	1.53.10 ⁸



Fig. 1. Reduction in cost and demand from each scenario (%)

As a summary of case results, these can be concluded:

- Messages on TV or magnets and stickers seem to be an efficient way of promoting behavioral change. These types of new policies should be considered.
- Avoiding standby consumption and giving incentives to replace old fridges with more efficient ones will bring a noticeable change to the network.
- Social influences can also be suggested to promote efficient use of electricity among Turkish households. Scenario 4, which proposes to follow efficiency measures during school term, has the higher reduction ratio among similar cases.
- Having tea after dinner is a traditional habit of Turkish households and it cannot be avoided. Survey results show that the ownership and the use rate of electrical teapots are high, and households were unwilling to avoid their use at peak hours. Therefore, policy makers should examine the problem carefully. Making manufacturers to develop higher efficiency tea machines can be one option, or severe policies can be developed to prevent using electricity to boil water or making tea.
- Although there is always a reduction in the cost and the demand, Scenario 6 ends up with higher emission rates. This increase can be explained by using higher amount of coal in the generation process. Considering environmental impact of different scenarios is noteworthy to reach sustainability in the framework of global regulations. Scenario 7 has a visible impact on the network. Shifting iron use from late hours to early morning will be effective to deal with the peak demand.

References

1. Yıllar itibariyle Tu"rkiye net elektrik tu"ketiminin sektörlere göre da"ğılımı, <http://www.oib.gov.tr/tedas/tedas.htm> (2010)
2. Elektrik dağıtım ,şirketleri abone sayılarının sektörlere göre da"ğılımı, <http://www.oib.gov.tr/tedas/tedas.htm> (2010)
3. International Energy Agency: Things That Go Blip in the Night: Standby Power and How to Limit It, France (2001)
4. Enerji Hanim Anketi Degerlendirme Sonu,cları, <http://www.enerjihanim.com/tr/anketsonucu/enerji-hanim-anket-degerlendirme-sonuclari/3> (2012)
5. Nair, G., Gustavsson, L., Mahapatra, K.: Factors influencing energy efficiency in investments in existing Swedish residential buildings, *Energy Policy*, 38, 2956–2963 (2010)
6. Martiskainen, M.: Affecting consumer behaviour on energy demand, Sussex Energy Group, University of Sussex (2007)
7. Abreu, J.: Understanding Consumer behavior for energy conservation: a framework for research, *Sustainable Energy System*, MIT Portugal (2008)
8. Jackson, T.: Motivating Sustainable Consumption: A review of evidence on consumer behavior and behavioral change, *Sustainable Development Research Network*, University of Sussex (2005)
9. Tu"rkiye Elektrik Enerjisi Kurulu,ş ve Yakıt Cinsine G"ore Kurulu Gu"cu, www.teias.gov.tr/yukdagitim/kuruluguc.xls
10. Ozcan, M.: Turkiye Elektrik Enerjisi U"retim Geni,şletme Planlamasında Yenilenebilir Enerji Kaynaklarının Etkileri, Kocaeli U"niversitesi Fen Bilimleri En- stitu"su" (2013)
11. U.S. Energy Information Administration : Annual Energy Outlook (2014)
12. How much carbon dioxide is produced when different fuels are burned?, <http://www.eia.gov/tools/faqs/faq.cfm?id=73&t=11> 2014
13. NOx content of biomass, <http://www.ces.ncsu.edu/nreos/forest/feop/biomass-south/proceedings/pdf/0923-1300-C3-Abrams.pdf>
14. Tekiner, H.: Multi-Objective Stochastic Models for Electricity Generation Expansion Planning Problems Considering Risk, Graduate School-New Brunswick Rutgers, The State University of New Jersey (2010)
15. Bertani, R, Thain, T.: Geothermal Power Generating Plant CO₂ Emission Survey, International Geothermal Association (2002)