University for Business and Technology in Kosovo

# **UBT Knowledge Center**

**UBT** International Conference

2021 UBT International Conference

Oct 30th, 1:15 PM - 2:45 PM

# The impact of industries and gastronomy on quality parameters of river Lumbardhi I Pejës

Saimir Dinaj University for Business and Technology - UBT, saimir.dinaj@gmail.com

Follow this and additional works at: https://knowledgecenter.ubt-uni.net/conference

### **Recommended Citation**

Dinaj, Saimir, "The impact of industries and gastronomy on quality parameters of river Lumbardhi I Pejës" (2021). UBT International Conference. 340. https://knowledgecenter.ubt-uni.net/conference/2021UBTIC/all-events/340

This Event is brought to you for free and open access by the Publication and Journals at UBT Knowledge Center. It has been accepted for inclusion in UBT International Conference by an authorized administrator of UBT Knowledge Center. For more information, please contact knowledge.center@ubt-uni.net.

## The impact of industries and gastronomy on quality parameters of river Lumbardhi i Pejës

Saimir DINAJ<sup>1</sup>, Rinor KRASNIQI<sup>1</sup>

<sup>1</sup>UBT Higher Education Institution, Prishtina, Kosova <u>saimirdinaj@gmail.com</u>

Abstract. The research work for a period of one month was the aim of presenting the current conditions of the river water in terms of quality analyses specifically in Lumëbardhi of Peja. In Peja, is evident the lack of strict and professional water protection. The aim of this research work was to divide the region in four different areas and to take samples from them and to do comparisons between them. The results of the analysis of the samples taken will present the current state of the river in terms of quality and the possibility of use for irrigation. From the samples taken at certain places along the course of the River, have been analyzed several physicochemical parameters, macro-pollutants and microbiology parameters.

Keywords: Water quality, Lumëbardhi river, public health

#### 1. Introduction

Historically, the quality of drinking water has been one of the most important factors in assessing human well-being. Water pollution with feces has often caused diseases that in most cases has had the impact of reducing the population in different regions. Many chemicals since the forties of the last century caused the contamination of water rivers, where we can single out; insecticides and herbicides leached from agricultural lands and from industrial discharges into surface waters (5).

Understanding the pitfalls, causes and effects of water pollutants is the most important thing for pollutant control. Lack of strict and professional water protection during years of war and years after the war in Kosovo, then the revival of economy, old industrial technology inherited, technology not adequate in some sectors, destroyed infrastructure in cities, lack of wastewater treatment, dumping of industrial and urban waste, are a source of major problems and difficult to avoid(8).

On the other hand, with industrialization and population growth it also increases demand for good quality water. Rapidly increasing population, indiscriminate, urbanization and rapid industrialization along the rivers have put tremendous pressure on water resources and their quality (Biswas 2000, Khan 2004). In addition to urban and industrial use the demand for water is increasing in terms of personal hygiene, irrigation in agriculture use in livestock, energy, for cooling in term-energy and industry, as well as for fishing, sailing, etc. (7). All of this affect water quality. In addition to increasing use, many waters are being submerged increasing pollution from concentrated raw urban discharges and industrial, and from accidental spills.

The purpose of this paper was to research the waters, along the course of the River Lumëbardhi. Drini i Bardhë is the longest river with 122 km, which joins the Drini i Zi in Albania and together flow into the Adriatic Sea. Drini i Bardhë springs from a village Radavc on the outskirts of the city of Peja, along its way the river collects together some tributaries of other rivers including the Lumbardhi of Peja. The river Lumbardhi Peja is supplied by groundwater owes in the mountainous area that means from Bjeluha and Jezer on the right side and Boga, Drela and Alag on the left side (Fazliu, 2012). Scarcity and misuse of fresh water pose a serious and growing threat to sustainable development and

protection of the environment (Fig 1). Human health and welfare, food security, industrial development and the ecosystems on which they depend, are all at risk, unless water and land resources are managed more effectively in the present decade and beyond than they have been in the past (1).

From samples taken at certain locations along the course of the River Lumbardhi I Pejës, some organoleptic and macro-parameters were also analyzed. pollutants such as: biochemical oxygen consumption (OBS), dissolved oxygen (OT) and some other chemical indicators (ammonia, nitrites, nitrates, heavy metals, etc.).



Figure 1: View of river Lumbadhi I Pejës

#### 2. Methodology

The place of sampling is chosen so that they are in one distance 500 -1000 m from the potential source of pollution (Fig.1.). The first sample as a reference point was taken near the place where water was not in interactions with human activities (M1). The second sample was taken along the flow in parts after discharging the treatment waters of activities of hotel and production industries (M2). Then the third sample was taken near areas where there are some tourism activities(M3), and the fourth sample (M4) was also taken at the exit of the city after discharging all atmospheric and urban treatment waters, a fifth sample (M5) was taken near the fabric of cheese.

Samples for water analysis were taken and canned in the manner that provided for in the Regulation on water standards (9). The main indicators of wastewater are: biochemical oxygen consumption (OI), some chemical indicators (ammonia, nitrites, nitrates, chlorides, etc.).

The following parameters such as; Water temperature, pH, are determined at the receiving point at the time of the sample. Then with standard methods (7), the following water quality parameters were measured: OI, chlorides, nitrites, nitrates, etc. Heavy metals (Fe, Mn) In water, are determined by the method of atomic absorption spectroscopy (SAA). In the other hand the bacterial analyses were done according the standard ISO 9308-1:2014 for coliform bacteria where is used Endo Agar Less and Violet Red Mile as nutrient terrain and for live bacteria where used Total Plate Count Agar-ANB according the standard ISO 6222:1999.



Figure 2: Map where samples were taken

#### 3. Results

In this paper, we have presented the water quality of Lumbardhi of Peja in 5 sampling places. In the locations: km of 23- Guri I kuq(M1), km of 12- Hani Restaurant (M2), Km 3- in Sharra (M3) at the exit of the city- Transit Bridge (M4) km of 17- Cheese Factory (M5). During the sampling period it was followed by water quality along the course of this river. The results are presented in table form in Table 1. Table 1 can show the results of all samples where it is observed that the parameters vary depending on the sample taken and the place where it is taken. If we go in a row by analyzing the parameters ranging from turbidity which has values from 0.03- 0.98 NTU values which are within maximum amount allowed. The pH value is within the permitted values (7.70-8.29) which does not present a significant problem of the water quality of the river in question. Water which contains organic substances originating from plants, animals, man or different industries spend a certain amount of potassium permanganate for their oxidation. The certain amount of potassium permanganate depends on the amount of organic substances in water and their chemical structure. Spending potassium permanganate is considered conditionally as a measure of the amount of organic substances in the water. In samples obtained the value of potassium permanganate ranges from 0.60-2.4 mg/l which is within the permitted rates. Chlorides make up most of the natural waters that can reach as pollution through sanitary and industrial waters. The concentration of chloride in natural waters is variable, in our samples the values range from 5.67-14.88 mg/l. The M5 sample has the highest value this is due the waste that is thrown in the river which is not an adequate ambient for the living aqua culture there.

To evaluate the quality of the drinking water is particularly important, the confirmation of the presence of matter created by the dissolution of waste with animal origin. Waters with products of this dissolution are regularly microbiologically contaminated. In polluted waters, different products are created: C and S compounds, and the compounds of N. Nitrogen are of particular importance in the form of ammonia, nitrite and nitrates, coming from the outgoing waters of the industry and household. The presence of ammonia in water is dangerous and causes water pollution. The allowed amount of free NH<sub>3</sub> in water according to EU directives must not be greater than 0.5 mg/l expressed as nitrogen. Nitrite (No<sub>2</sub><sup>-</sup>) - are toxic and their amount in drinking water is limited to a maximum of 0.005 mg/l nitrite as nitrogen. They are formed in the water with the dissolution of biological and industrial pollution. The waters of the depths can be microbiologically contaminated with nitrite that are created with anaerobic dissolution. For this reason, in addition to the results of nitrite determination, other chemical and microbiological parameters are also needed to evaluate water quality. The results of the analysis based on Table 1 tell us that nitrite values (0.016-0.046 mg/l) within the norms allowed with EU directives.

Iron is an important metal for the life of plant and animal living things. The presence of Fe compounds in the waters for drinking does not prevent the concentration of 0.3 mg/l. In the waters rich in religion there is a bacterium named "filamental", which grows and multiplies. It has a very negative impact on water quality, because in this case comes the biomass collection in the distribution system. Fe is essential metal in the structure of hemoglobin and is used as anemia therapy, which is caused by a lack of Fe in the blood. In high doses is toxic. From Table 1 we note that the iron value ranges from <0.05 mg/l within the permitted rates.

Physico-chemical analysis											
Parameters tested	Standard method	The measure	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5				
Air temperature	ISO 10524:2012	°C	7	8	8.5	10					
Water temperature in sampling	ISO 10524:2012	°C									
Water temperature during testing	ISO 10524:2012	°C	10	10	9.8	10	10				
The smell of water	ISO/EN 7887:2001		without	without	without	without	without				
The color of water	ISO/EN 7887:2001	°Co-Pt	without	without	without	without	without				
The taste of water	ISO/EN 7887:2001		-	-	-	-	-				
Water turbulence	ISO 7027:1999	NTU	0.03	0.34	0.40	0.98	0.13				
Free chlorine (residual)	ISO 7393- 1:2000	mg/l	-	-	-	-	-				
pH	ISO 10523:2008		8.29	8.53	8.66	8.57	7.70				
Indicator of KMnO <sub>4</sub> (Oxidation)	ISO/CD 8467:1993	mg/l	2.04	0.76	0.60	1.08	-				
Conductivity	ISO 27888:1985	uS/cm	132	170.1	172.9	202.9	298.6				
Water hardness	ISO 6059:1984	d°H	7.0	7.84	8.12	8.40	11.20				
Chlorides	ISO 9297:1989	mg/l	7.79	7.09	6.38	5.67	14.88				
Nitrate NO <sub>3</sub>	ISO 6777: 1984	mg/l	0.020	0.016	0.016	0.046	-				
Iron Fe	ISO 6333:1986	mg/l	<0.05	< 0.05	<0.05	< 0.05	-				
Mangesium Mg	ISO 6333:1986	mg/l	<0.010	<0.010	<0.010	<0.010	-				

Table 1: Results of Physico-chemical parameters of samples

Microbiological tests are an indication of the aspect of water quality and the possibility of using it for drinks, increased water life and its daily use. Based on the results of Table 2 obtained from the field samples, they note that fecal and non -fecal coliform bacteria are present at values over 100 CFU / 100 ml which is expected for surface water or rivers. The results also notice the impact of physical chemical parameters on increasing the number of bacteria present or even of the type of microorganism that is evidenced in water samples.

By this we want to say specifically the impact of chlorides on lowering the No. of bacteria of fecal origin as well as especially living bacteria found in the M5 sample, where its value differs from other samples with 11 CFU / 100 ml.

Microbiological analysis										
Date	of sampling: 25.10.2	2021								
Sample naming:			M1	M2	M3	M4	M5			
Sampling time:			-	9:25	9:40	10:00	10:40			
Ambient temperature:			2°C	4°C	6°C	8°C	2°C			
Water temperature during sampling:			2°C	2.5°C	3°C	4°C	2°C			
							1			
Parameters		Water pollution indicator CFU/100 ml			Total CFU/1ml					
umber		Coliform bacteria at 37°C	Colifor fecal or	rm bacteria of rigin at 37 ° C	Total number of living bacteria at 37° C					
	Standard method	ISO 9308 - 1:2003	ISO 9308 - 1:2003		ISO 9308 - 1:2003					
nple r	Limits allowed in clean water	0	0		10					
Sar	Limits allowed in closed source	10	10		10					
	Limits allowed in open source	100	100		100					
	Sample Code									
1	M1	>100	>100			/				
2	M2	>100	>100		>100					
3	M3 >100		>100		>100					
4	M4 >100		>100		>100					
5	M5	>100	>100		1	11				

Table 2: Microbiological parameters of samples





Figure 3: Samples tested for coliform bacteria



Figure 4: Photo of samples tested for living bacteria

#### 4. Conclusions

Based on our results we can conclude:

- Our analyses about water of the river called Lumbardhi of Peja relate that water quality are between allowed values, except in some sample places where they appear parameters that impact on the analyses and river wellbeing.
- The chlorides even-through are higher in value (M5) in comparison with other samples they are beneath the standards
- According to pH the water is basic (pH=7.70-8.66).
- According to hardness the water is more or less mild (7.2-11.2 °D) the cause of increase of hardness of M5 is because of high percentage of chlorides.
- The results of bacteriological analyzes reveal the presence of coliform bacteria and those of fecal origin in quantities above 100 CFU / 100 ml, giving us a clear picture of the state of the river in terms of microbiology that is above the allowed criteria. Also, for living bacteria is the same situation where the identified value is over 100 CFU / 1 ml except makes the first and sample nr.5 where the presence of living bacteria respectively 11 CFU / 1 ml were not detected.

We have concluded that water resources of Kosovo's are endangered by the pollution caused by human bean, because the presence of coliform bacteria above the criteria are due the pollution made by human wastes respectively gastronomy industry on this region. At M5 we see the impact of pouring cheese production wastes to the water. One other parameter that also indicates that human factor is to be blamed for this pollution is the results of M5 which gives us a clear view of the impact of one parameter (Chlorides) to others.. As first step further, surface water pollution has to be stopped and to improve the existing condition. It is necessary prevention, monitoring and reduce of scale pollution, to ensure the quality level, biological equilibrium and these water ecosystems and at those places where quality rehabilitation is possible. We are very concerned about these facts but we hope that is still time to prevent the quality of Kosovo's surface waters.

#### 5. References

- Adeyemo, O.K., Ayodeji, I O. &Aiki-Raji, C.O. (2002). The water quality and sanitary conditions in a major Abattoir (Bodija) in Ibadan, Nigeria. African J. Biomed. Res.,5(1), 51-55
- 2. Assembly of Kosovo, Government of Kosovo. 2015. State Water Strategy in Kosovo 2015-2034. Prishtina: Euro Printy.
- 3. Biswas, S.P. and Boruah, S. Ecology of the river Dolphin (Platanista Gangetica) in the upper Brahmaputra. Hydrobiologia. 430, 2000: 97-101
- 4. Fazliu, S.I. (2012). Integrated water resources management for pond in Bistrica e Pejës. J. Environ. Sci.& Eng. A, 1, 1173-1180
- 5. Gray, Nick. 2010. Water Technology- an introduction for environmental scientists and engineers. Taylor & amp; Francis.
- 6. Khan, N., Mathur, A. and Mathur, R. A study on drinking water quality in Laskhar (Gwalior). Indian J. Env. Prot. 25(3), 2004: 222-224.
- 7. Korça, Dr. sc. Bardha. 2003. Chemical analyzes of water. Pristina: WUS Austria.
- 8. Kosovo, Agency for Environmental Protection of water 2015. Report on the state of water in Kosovo 2015. Prishtina: Euro printy.
- 9. Prof. Dr Nexhat, M Daci. 1998. Environmental Chemistry, Industrial Pollution-Prevention. Pristina: Kosovo Academy of Sciences and Arts.